

16-Ft Garage Door Replacement Cost in Los Angeles

The garage door replacement cost for a 16-foot garage door in Los Angeles commonly comes between approximately \$1,500 and \$5,500, including the door, standard hardware, and installation labor. Premium wood doors, custom designs, upgraded insulation, structural modifications, and difficult access can <https://emgaragedoorsandgateservice.com/services/garage-door-installation-los-angeles.html> drive the total higher.

A 16-foot garage door is typically a **double garage door** designed for a two-car garage. That means the **2 car garage door replacement cost** and the **two car garage door replacement cost** are often greater than replacing a regular single-car door because the opening is larger, the door is weightier, and its springs, tracks, and automatic opener must handle greater loads.

An **up-and-over garage door** replacement quote should separate the door itself from the garage door installation, removal and disposal, garage door tracks, garage door hardware, weather sealing, and installation labor. Ask whether the quote includes modification of the existing framing and inspection of the opener. A low initial price may not include items that become required once the old door is removed.

Typical Price Ranges by Door Material

Material is one of the most significant factors in the garage door replacement cost. The following are useful planning ranges for a 16-foot door in the Los Angeles area, although the final price depends on design, insulation, brand, finish, and site conditions.

- **Steel garage door:** Approximately \$1,500 to \$3,500 installed. Steel is widely used because it offers durability, a broad selection of finishes, and relatively predictable maintenance. A steel door may be single-layer, double-layer, or triple-layer.
- **Aluminium garage-door system:** Approximately around \$2,000 to \$4,500 installed. Aluminum can deliver a contemporary appearance and resistance to ordinary rust, but exposed coastal areas still require care to finishes, fasteners, and other hardware.
- **Timber garage door:** Approximately \$3,000 to \$7,000 or more installed. A timber door can improve curb appeal and complement Craftsman, Spanish, and traditional Los Angeles homes, but it usually requires more painting, sealing, and preventive maintenance.
- **Well-insulated garage door:** Approximately \$2,000 to \$5,000 installed, according to the steel or aluminum construction and insulation level. An insulated door can enhance comfort in an attached garage, lower outdoor noise, and support better energy efficiency.

A steel door and a wooden door may have similar dimensions but very different door weight, spring requirements, and maintenance needs. In San Fernando Valley communities such as Van Nuys, North Hollywood, and Woodland Hills, hotter summer conditions make insulation, weather sealing, and opener performance particularly relevant. A higher upfront price may be justified if it reduces heat transfer and improves daily operation.

What a 16-Foot Garage Door Installation Quote Covers

A full **door installation** estimate should list the door sections, window configuration, insulation, hinges, rollers, cables, drums, brackets, bottom seal, and other **door hardware**. It should also indicate whether new **garage door tracks** are included or whether the contractor plans to retain the existing tracks.

For a 16-foot opening, reusing tracks is not necessarily recommended. New door sections may have varying thicknesses, heights, or roller locations. Incorrectly matched tracks can cause noise, uneven movement, premature wear, or hazardous operation. The estimate should also explain removal and disposal of the old door, testing of the safety reversal system, adjustment of the springs, and final balance testing.

Labor for installation may include two technicians because a wide door is difficult to handle safely. Additional labor can apply if the garage has a narrow driveway, detached-garage access, hillside access, limited parking, unusual framing, or a long distance between the truck and the opening. These local logistics can affect quotes across Los Angeles neighborhoods.

Garage Door Repair Cost vs. Complete Replacement

The **garage door repair cost** may be considerably less than a full replacement when the door is structurally sound and the problem is limited to a spring, cable, roller, hinge, sensor, or adjustment. Typical **garage door repair pricing** can range from a modest service charge for inspection and adjustment to several hundred dollars for a major component repair.

A full **garage door replacement** becomes more reasonable when several components are failing, the door is badly damaged, replacement parts are difficult to find, or the existing system is unsafe. A contractor should examine the **garage door panel**, tracks, springs, cables, rollers, hinges, opener, and framing before recommending replacement.

Common 16-Ft Garage Door Repairs and Prices

- **Garage door panel:** Replacing one damaged panel may cost approximately \$400 to \$1,200 or more, depending on the model, insulation, windows, color, and availability. Matching a discontinued door can cost more than anticipated.
- **Garage door cable:** A broken cable repair may cost approximately \$150 to \$350. Cables should be changed and calibrated in accordance with the spring system rather than secured temporarily or reinstalled.
- **Garage door roller:** Replacing worn rollers may cost approximately \$150 to \$400 for a 16-foot door. Nylon rollers can reduce noise, while commercial-grade or sealed-bearing rollers may have a higher price.
- **Garage door track:** A bent track may cost approximately \$150 to \$500 to repair or replace, depending on whether one track or both tracks are affected and whether the framing is also damaged.

Other repair items include hinges, drums, bearing plates, weather stripping, photo-eye sensors, remote controls, and an automatic opener. A quote should separate parts from the service call and labor. Do not operate a door with a broken cable, visibly separated spring, or bent track, because the door can shift or fall.

When Fixing a Panel Makes More Sense Than Installing a New Door

A **new panel** often is practical when only one section has been damaged and the remaining door is relatively new, properly insulated, and supported by available replacement parts. A damaged panel from a minor vehicle impact may be replaced without changing the entire system.

Before approving the work, ask the contractor to check **the door alignment**, hinges, rollers, tracks, and the opener. A panel that appears damaged may have caused hidden stress elsewhere. If the problem is limited to **appearance-related damage**, such as a small dent or faded finish, repair or refinishing may be sufficient.

Replacement is more likely to be appropriate when there is **structural damage**, widespread rust, repeated cracking, severe sagging, incompatible replacement sections, or damage to multiple panels. A mismatched panel

can affect balance and appearance, particularly on a large 16-foot opening.

Garage Door Spring Cost and Replacement Pricing

The **garage door spring cost** for a 16-foot door often varies from approximately \$250 to \$600 for a typical torsion spring replacement, with increased pricing possible for multiple springs, high-cycle springs, unusual hardware, or difficult access. The exact price depends on the door weight and the spring system, not simply the width of the opening.

Many homeowners search for **garage door spring replacement near me** after experiencing a loud bang or discovering that the door will not lift. A **torsion spring** is mounted above the door and uses managed tension to counterbalance it. An **extension spring** stretches along the horizontal tracks and uses a different safety and containment arrangement.

Spring replacement is dangerous work. A qualified technician should select the correct spring size, inspect the drums and cables, balance the door, lubricate appropriate moving parts, and test the safety features. Never attempt to unwind or remove a loaded spring without professional training and proper tools.

Why a 16-Ft Door Can Cost More to Repair

A 16-foot door is commonly a **double garage door**, and its greater width can increase door weight and place more demand on the **spring system**. Some doors use two torsion springs to distribute the load. If one spring fails, replacing both may be recommended when they are the same age and the second spring is also worn.

Wide doors can also reveal weaknesses in tracks, rollers, hinges, and operator settings. A contractor should perform a safety inspection that includes balance, cable condition, track alignment, photo-eye sensors, emergency release operation, and automatic reversal. A repair that does not address the root balance problem may fail again quickly.

Garage Door Opener Installation Cost for a 16-Ft Door

The **garage door opener installation cost** for a 16-foot door commonly typically runs from approximately \$500 to \$1,300, including the opener and installation. Weighty wood or insulated doors, high ceilings, additional reinforcing, electrical work, and upgraded controls can add to the total.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

A **belt-drive opener** is generally more quiet and can be a good choice for an attached garage near bedrooms or living areas. A **chain-drive opener** is often reliable and cost-effective, although it may produce more operating noise. The required **horsepower** should be based on the actual door weight and manufacturer specifications rather than choosing the largest available motor automatically.

Selecting an Opener for a Heavy or Insulated Door

A heavy or **insulated door** needs an opener with adequate **lifting capacity** and a correctly balanced spring system. An opener should not compensate for a door that is binding, unbalanced, or damaged. A technician

should test manual operation before installing or adjusting the motor.

A **smart garage door opener** can provide smartphone alerts, remote operation, activity history, and integration with selected home systems. Confirm **Wi-Fi compatibility** with the signal available inside the garage. **Battery backup** is useful during outages and may be especially valuable if the garage is the primary entry point to the home. The estimate should include rail length, wall controls, sensors, programming, and disposal of the old unit.

Los Angeles Considerations That Influence Garage door repair Pricing

Los Angeles rates varies by neighborhood, property access, scheduling, material availability, and local **workforce rates**. Travel time between locations, parking restrictions, restricted driveways, detached garages, sloped properties, and restricted work areas can influence a repair or replacement estimate.

Coastal neighborhoods such as Santa Monica, Venice, and Playa del Rey may subject metal hardware and doors to salt air. **Coastal corrosion** renders corrosion-resistant fasteners, protective finishes, regular cleaning, and preventive maintenance increasingly important. A contractor may advise upgraded hardware or more frequent inspection in these areas.

Inland climates can create distinct issues. Warmer San Fernando Valley summers can affect lubricants, weather seals, electronics, and the temperature inside an uninsulated garage. These factors make an insulated door, durable bottom seal, and properly rated opener valuable options rather than optional upgrades.

Permits, HOA Rules, and Local Installation Requirements

Homeowners should consult the **Los Angeles Department of Building and Safety** for current requirements before work begins. A **building permit** may be relevant when a replacement changes the opening, framing, electrical work, or other regulated components. Requirements can vary based on the scope of work and the property location.

A replacement should follow the **California building code** and applicable safety requirements. Ask whether the project requires an **inspection** and who will arrange it. Properties in a planned community may also require **HOA approval** for changes to color, windows, exterior style, or visible hardware. Confirm these matters before ordering a custom door.

How Much Does Garage Door repair Cost Near Me?

The answer to “garage door repair near me” depends on the malfunctioning component, appointment time, door size, and access conditions. A standard daytime service call may be charged separately, while same-day service, evenings, weekends, and holidays can increase the total. Request the **call-out charge** before scheduling and ask whether it is applied to approved work.

For a dependable replacement estimate, describe the door width, material, insulation, symptoms, neighborhood, and whether the garage is attached or detached. Provide photos of the tracks, springs, opener label, and damaged area whenever possible. Request a **detailed estimate** before work starts, including taxes, disposal, permits, labor, and any possible trip charges.

How to Compare Los Angeles Garage Door repair Quotes

Choose a **licensed garage door professional** with experience handling wide residential doors. Verify applicable licensing and insurance, and ask who will perform the work. A qualified company should explain whether the proposed repair resolves the cause of the failure or only replaces the visibly damaged part.

Compare an **line-item estimate** rather than only the total price. It should list replacement parts, installation labor, removal, track or framing work, opener components, permit-related services, and taxes. Confirm the brand and specifications of springs, rollers, cables, panels, and the opener.

Ask about the **warranty coverage** for both parts and labor. A manufacturer warranty may cover a door section or motor but exclude installation, corrosion, impact, or normal wear. Confirm whether the contractor will use original or compatible **replacement components** and whether discontinued panels can be matched.

How to Decide Between Repair and Replacement

Make a repair versus replacement comparison based on the door's **age**, condition, performance, and total repair history. Repair is often cost-effective when the door is relatively young, the frame is sound, the panels are in good condition, and the problem is limited to a replaceable component.



Replacement deserves careful consideration when repair frequency is increasing, multiple panels are failing, the door is noisy or unsafe, or parts are no longer available. A new insulated door may improve **energy efficiency**, comfort, weather sealing, and security. It can also modernize the appearance and improve **curb appeal**, which may matter for a visible front-facing garage.

Do not base the decision only on the lowest immediate price. Include future spring, roller, cable, opener, paint, and maintenance needs. A contractor should explain both options and identify any safety issue that must be corrected regardless of whether the door is repaired or replaced.

How to Save on 16-Ft Garage Door Replacement Cost

- **Ask for multiple estimates:** Compare at least several detailed proposals with the same door size, insulation level, windows, hardware, opener, and warranty terms.

- **Consider off-season scheduling:** Flexible scheduling may provide more appointment options and help avoid urgent replacement pricing, although availability and promotions vary by contractor.
- **Ask about a rebate:** Manufacturers, utilities, or local programs may occasionally offer a rebate for qualifying energy-efficient products. Verify eligibility before purchasing.
- **Reuse suitable components carefully:** Reusing a compatible opener or hardware may reduce cost, but only after a safety inspection confirms that the components match the new door.
- **Prioritize maintenance:** Preventive maintenance, lubrication where appropriate, weather-seal replacement, balance checks, and early repair of worn rollers can extend service life and reduce emergency calls.

Schedule inspections before a small problem becomes a broken cable or damaged panel. Keep the tracks clear, avoid impact from vehicles, and have a professional check the door if it becomes unusually heavy, uneven, loud, or slow.

Questions and Answers

How much does it cost to replace a 16-foot garage door in Los Angeles?

The average garage door replacement cost for a 16-foot door in Los Angeles is about \$1,500 to \$5,500 installed. Steel doors are often lower in cost, while custom wood, heavily insulated, impact-resistant, or structurally complex installations can cost more. The estimate should include the door, hardware, garage door installation, labor, disposal, and any required permits or framing work.

How much does garage door repair cost for a two-car garage door?

The garage door repair cost for a two-car garage door commonly varies from about \$150 for a minor adjustment or component repair to \$600 or more for springs, cables, tracks, or multiple parts. A wide door may cost more because of its weight and larger spring system. Ask for garage door repair pricing that separates the service call, parts, and labor.

Is it cheaper to repair a garage door panel or replace the whole door?

Replacing one garage door panel is usually cheaper than replacing the entire door when a matching panel is available and the remaining sections, tracks, springs, and opener are in good condition. Panel replacement may cost approximately \$400 to \$1,200 or more. Full replacement may be better when there is structural damage, repeated failure, severe corrosion, discontinued parts, or damage to several panels.

How much does garage door spring replacement cost near Los Angeles?

Garage door spring service near Los Angeles often costs approximately \$250 to \$600 for a standard torsion spring replacement. Prices can go up for two springs, high-cycle springs, unusually heavy doors, difficult access, or additional cable and drum repairs. Because spring work is risky, use a trained professional rather than attempting torsion spring replacement or extension spring work yourself.

What is the usual garage door opener installation cost for a 16-foot door?

The usual garage door opener installation cost for a 16-foot door is approximately \$500 to \$1,300, covering a standard opener and installation. A weighty or insulated door may require increased lifting capacity, upgraded rail components, or reinforcing. Belt-drive, chain-drive, smart controls, Wi-Fi compatibility, and battery backup can also change the final price.