

16-Ft Garage Door Replacement Cost in Los Angeles

The garage door replacement cost for a 16-foot garage door in Los Angeles commonly falls between approximately \$1,500 and \$5,500, including the door, standard hardware, and installation labor. Premium wood doors, custom designs, upgraded insulation, structural modifications, and difficult access can raise the total higher.

A 16-foot garage door is generally a **double garage door** serving a two-car garage. That means the **2 car garage door replacement cost** and the **two car garage door replacement cost** are often more expensive than replacing a standard single-car door because the opening is wider, the door is heavier, and its springs, tracks, and automatic opener must support greater loads.

An **up-and-over garage door** replacement estimate should distinguish the door itself from the garage door installation, removal and disposal, garage door tracks, garage door hardware, weather sealing, and installation labor. Ask whether the quote includes adjustment of the existing framing and evaluation of the opener. A low initial price may not include items that become necessary once the old door is removed.

Typical Price Ranges by Door Material

Material is one of the most significant factors in the garage door replacement cost. The following are practical planning ranges for a 16-foot door in the Los Angeles area, although the total price depends on style, insulation, brand, finish, and site conditions.

- **Steel garage door:** Approximately \$1,500 to \$3,500 installed. Steel is widely used because it offers durability, a broad selection of finishes, and relatively predictable maintenance. A steel door may be single-layer, double-layer, or triple-layer.
- **Aluminum garage-door system:** Approximately roughly \$2,000 to \$4,500 installed. Aluminum can provide a modern appearance and resistance to ordinary rust, but exposed coastal areas still require attention to finishes, fasteners, and other hardware.
- **Timber garage door:** Approximately \$3,000 to \$7,000 or more installed. A wood door can enhance curb appeal and enhance Craftsman, Spanish, and traditional Los Angeles homes, but it usually requires more painting, protective sealing, and preventive maintenance.
- **Energy-efficient garage door:** Approximately \$2,000 to \$5,000 installed, based on the steel or aluminum construction and insulation level. An insulated door can enhance comfort in an attached garage, minimize outdoor noise, and support better energy efficiency.

A steel door and a wooden door may have comparable dimensions but very different door weight, spring requirements, and maintenance needs. In San Fernando Valley communities such as Van Nuys, North Hollywood, and Woodland Hills, warmer summer weather make insulation, weather sealing, and opener performance particularly relevant. A higher upfront price may be justified if it reduces heat transfer and enhances daily operation.

What a 16-Foot Garage Door Installation Quote Covers

A thorough **garage door installation** estimate should list the door sections, window configuration, insulation, hinges, rollers, cables, drums, brackets, bottom seal, and other **hardware components**. It should also indicate whether new **garage door tracks** are included or whether the contractor plans to reuse the existing tracks.

For a 16-foot opening, reusing tracks is not necessarily recommended. New door sections may have distinct thicknesses, heights, or roller locations. Incorrectly matched tracks can cause noise, uneven movement, premature wear, or safety issues. The estimate should also describe removal and disposal of the old door, testing of the safety reversal system, adjustment of the springs, and final balance testing.

Installation labor may include two technicians because a wide door is cumbersome to handle safely. Additional labor can apply if the garage has a narrow driveway, detached-garage access, hillside access, limited parking, unusual framing, or a long distance between the truck and the opening. These local logistics can influence quotes across Los Angeles neighborhoods.

Garage Door Repair Cost vs. Complete Replacement

The **garage door repair cost** may be significantly cheaper than a full replacement when the door is in solid condition and the problem is limited to a spring, cable, roller, hinge, sensor, or adjustment. Typical **garage door repair pricing** can range from a standard inspection charge for inspection and adjustment to several hundred dollars for a major component repair.

A full **garage door replacement** becomes more reasonable when several components are failing, the door is badly damaged, replacement parts are difficult to find, or the existing system is [Garage Door Maintenance & Tune-Ups in Los Angeles](#) unsafe. A contractor should examine the **garage door panel**, tracks, springs, cables, rollers, hinges, opener, and framing before suggesting replacement.

Common 16-Ft Garage Door Repairs and Prices

- **Garage door panel:** Replacing one damaged panel may cost approximately \$400 to \$1,200 or more, depending on the model, insulation, windows, color, and availability. Matching a discontinued door can cost above the expected amount.
- **Garage door cable:** A broken cable repair may cost approximately \$150 to \$350. Cables should be changed and calibrated in accordance with the spring system rather than temporarily tied or reused.
- **Garage door roller:** Replacing worn rollers may cost approximately \$150 to \$400 for a 16-foot door. Nylon rollers can minimize noise, while commercial-grade or sealed-bearing rollers may have a greater cost.
- **Garage door track:** A bent track may cost approximately \$150 to \$500 to repair or replace, depending on whether one track or both tracks are affected and whether the framing is also damaged.

Other repair items include hinges, drums, bearing plates, weather stripping, photo-eye sensors, remote controls, and an automatic opener. A quote should separate parts from the service call and labor. Do not operate a door with a broken cable, visibly separated spring, or bent track, because the door can move or collapse.

When Restoring a Panel Makes More Sense Than Changing Out Door

A **new panel** often is worthwhile when only one section has been damaged and the remaining door is relatively new, properly insulated, and supported by available replacement parts. A damaged panel from a minor vehicle impact may be replaced without changing the entire system.

Before approving the work, ask the contractor to check **how the door is aligned**, hinges, rollers, tracks, and the opener. A panel that appears damaged may have caused hidden stress elsewhere. If the problem is limited to **surface damage**, such as a small dent or faded finish, repair or refinishing may be sufficient.

Replacement is more likely to be appropriate when there is **damage to the structure**, widespread rust, repeated cracking, severe sagging, incompatible replacement sections, or damage to multiple panels. A mismatched panel

can affect balance and appearance, particularly on a large 16-foot opening.

Garage Door Spring Cost and Replacement Rates

The **garage door spring cost** for a 16-foot door often falls from approximately \$250 to \$600 for a **ჩვეულებრივი** torsion spring replacement, with greater costs possible for multiple springs, high-cycle springs, unusual hardware, or difficult access. The exact price is determined by the door weight and the spring system, not simply the width of the opening.

Many homeowners search for **garage door spring replacement near me** after experiencing a loud bang or discovering that the door will not lift. A **torsion spring** is mounted above the door and uses regulated force to counterbalance it. An **extension spring** stretches along the horizontal tracks and uses a different safety and containment arrangement.

Spring replacement is dangerous work. A qualified technician should determine the correct spring size, inspect the drums and cables, balance the door, lubricate appropriate moving parts, and test the safety features. Never attempt to cut or remove a loaded spring without professional training and proper tools.

Why a 16-Ft Door Can Cost More to Repair

[Garage Door Maintenance](#)

A 16-foot door is commonly a **double garage door**, and its greater width can raise door weight and place more demand on the **spring system**. Some doors use two torsion springs to distribute the load. If one spring fails, replacing both may be recommended when they are the same age and the second spring is also worn.

Wide doors can also highlight weaknesses in tracks, rollers, hinges, and operator settings. A contractor should perform a safety inspection that includes balance, cable condition, track alignment, photo-eye sensors, emergency release operation, and automatic reversal. A repair that does not address the underlying balance problem may quickly fail again.

Garage Door Opener Installation Cost for a 16-Ft Door

The **garage door opener installation cost** for a 16-foot door commonly ranges from approximately \$500 to \$1,300, including the opener and installation. Weighty wood or insulated doors, high ceilings, additional reinforcing, electrical work, and upgraded controls can increase the total.

A **belt-drive opener** is generally quieter and can be a practical choice for an attached garage near bedrooms or living areas. A **chain-drive opener** is often long-lasting and cost-effective, although it may produce more operating noise. The required **horsepower** should be based on the actual door weight and manufacturer specifications rather than choosing the largest available motor automatically.



Picking an Opener for a Heavy or Insulated Door

A heavy or **insulated door** needs an opener with adequate **lifting capacity** and a correctly balanced spring system. An opener should not compensate for a door that is dragging, unbalanced, or damaged. A technician should test manual operation before installing or adjusting the motor.

A **smart garage door opener** can provide smartphone alerts, remote operation, activity history, and integration with selected home systems. Confirm **Wi-Fi compatibility** with the signal available inside the garage. **Battery backup** is useful during outages and may be especially valuable if the garage is the primary entry point to the home. The estimate should include rail length, wall controls, sensors, programming, and disposal of the old unit.

Los Angeles Issues That Impact Garage door repair Costs

Los Angeles rates can vary by neighborhood, property access, scheduling, material availability, and local **labor rates**. Time spent traveling between locations, parking restrictions, restricted driveways, standalone garages, homes on hillsides, and limited working space can affect a replacement estimate or replacement estimate.

Coastal neighborhoods such as Santa Monica, Venice, and Playa del Rey may subject metal hardware and doors to salty air. **Coastal corrosion** can make corrosion-resistant fasteners, protective finishes, regular cleaning, and preventive maintenance more important. A contractor may recommend upgraded hardware or more frequent inspection in these areas.

Inland climates can create distinct issues. More intense San Fernando Valley summers can affect lubricants, weather seals, electronics, and the temperature inside an uninsulated garage. These factors make an insulated door, durable bottom seal, and properly rated opener worthwhile considerations rather than optional upgrades.

Permits, HOA Rules, and Local Installation Requirements

Homeowners should review information from the **Los Angeles Department of Building and Safety** for the latest requirements before work begins. A **building permit** may be relevant when a replacement changes the opening, framing, electrical work, or other regulated components. Requirements can change based on the scope of work and the property location.

A replacement should follow the **California building code** and applicable safety requirements. Ask whether the project calls for an **inspection** and who will arrange it. Properties in a planned community may also require **HOA approval** for changes to color, windows, exterior style, or visible hardware. Verify these matters before ordering a custom door.

How Much Does Garage Door repair Cost Near Me?

The answer to “garage door repair near me” varies according to the broken component, time of service, door size, and access conditions. A typical daytime service call may be charged separately, while same-day service, evenings, weekends, and holidays can raise the total. Request the **call-out charge** before scheduling and ask whether it is deducted from approved work.

For a reliable replacement estimate, describe the door width, material, insulation, symptoms, neighborhood, and whether the garage is attached or detached. Provide photos of the tracks, springs, opener label, and damaged area when possible. Request a **written estimate** before work starts, including taxes, disposal, permits, labor, and any possible trip charges.

How to Compare Los Angeles Garage Door repair Quotes

Choose a **licensed garage door professional** with expertise with wide residential doors. Verify applicable licensing and insurance, and ask who will perform the work. A skilled company should explain whether the proposed repair resolves the cause of the failure or only replaces the visibly damaged part.

Compare an **line-item estimate** rather than only the total price. It should list replacement parts, installation labor, removal, track or framing work, opener components, permit-related services, and taxes. Confirm the brand and specifications of springs, rollers, cables, panels, and the opener.

Ask about the **warranty** for both parts and labor. A manufacturer warranty may cover a door section or motor but leave out installation, corrosion, impact, or normal wear. Confirm whether the contractor will use original or compatible **new parts** and whether discontinued panels can be closely matched.

How to Determine Between Repair and Replacement

Use a repair versus replacement comparison based on the door’s **age**, condition, performance, and total repair history. Repair is often cost-effective when the door is relatively young, the frame is sound, the panels are in good condition, and the problem is limited to a replaceable component.

Replacement deserves serious consideration when repair frequency is increasing, multiple panels are failing, the door is noisy or unsafe, or parts are no longer available. A new insulated door may improve **energy efficiency**, comfort, weather sealing, and security. It can also update the appearance and improve **curb appeal**, which may matter for a visible front-facing garage.

Do not base the decision only on the lowest immediate price. Include future spring, roller, cable, opener, paint, and maintenance needs. A contractor should outline both options and identify any safety issue that must be corrected regardless of whether the door is repaired or replaced.

How to Save on 16-Ft Garage Door Replacement Cost

- **Ask for multiple estimates:** Compare at least several detailed proposals with the same door size, insulation level, windows, hardware, opener, and warranty terms.
- **Consider off-season scheduling:** Flexible scheduling may provide more appointment options and help avoid urgent replacement pricing, although availability and promotions vary by contractor.
- **Ask about a rebate:** Manufacturers, utilities, or local programs may occasionally offer a rebate for qualifying energy-efficient products. Check eligibility before purchasing.
- **Retain suitable components carefully:** Reusing a compatible opener or hardware may reduce cost, but only after a safety inspection confirms that the components match the new door.
- **Invest in maintenance:** Preventive maintenance, lubrication where appropriate, weather-seal replacement, balance checks, and early repair of worn rollers can prolong operation and reduce emergency calls.

Schedule inspections before a small problem becomes a broken cable or damaged panel. Keep the tracks clear, avoid impact from vehicles, and have a professional check the door if it becomes unusually heavy, uneven, loud, or slow.

Frequently Asked Questions

What is the cost to replace a 16-foot garage door in Los Angeles?

The usual garage door replacement cost for a 16-foot door in Los Angeles is about \$1,500 to \$5,500 installed. Metal doors are often lower in cost, while custom wood, heavily insulated, impact-resistant, or structurally complex installations can cost more. The estimate should include the door, hardware, garage door installation, labor, disposal, and any required permits or framing work.

What is the cost of garage door repair cost for a two-car garage door?

The garage door repair cost for a two-car garage door commonly varies from about \$150 for a small adjustment or component repair to \$600 or more for springs, cables, tracks, or multiple parts. A larger door may cost more because of its weight and larger spring system. Ask for garage door repair pricing that breaks down the service call, parts, and labor.

Is it cheaper to repair a garage door panel or replace the whole door?

Changing one garage door panel is usually more affordable than replacing the entire door when a matching panel is available and the remaining sections, tracks, springs, and opener are in good condition. Panel replacement may cost approximately \$400 to \$1,200 or more. Full replacement may be better when there is structural damage, repeated failure, severe corrosion, discontinued parts, or damage to several panels.

How much does spring replacement for a garage door cost near Los Angeles?

Garage door spring service near Los Angeles often runs approximately \$250 to \$600 for a conventional torsion spring replacement. Prices can rise for two springs, high-cycle springs, unusually heavy doors, difficult access, or additional cable and drum repairs. Because spring work is risky, use a trained professional rather than attempting torsion spring replacement or extension spring work yourself.

What is the usual garage door opener installation cost for a 16-foot door?

The typical garage door opener installation cost for a 16-foot door is around \$500 to \$1,300, covering a standard opener and installation. A heavy or insulated door may require higher lifting capacity, upgraded rail components, or reinforcing. Belt-drive, chain-drive, smart controls, Wi-Fi compatibility, and battery backup can also change the final price.